

**SAATIcare** 

Precision Fabrics & Components for Medical & Diagnostic Applications

# 

—SAATI

SAATIcare Brochure

Company Information	02
Customer Service	04
SAATIcare Manufacturing	06
Fabrication Capabilities	08
Medical Applications	20
Blood Filtration	22
SAATIcare Hyphil Treatment	28
SAATIcare High Flow Fabrics	30
<u>Diagnostic Applications</u>	32
Testing Compliance	38
Sustainable Future	40
Interactive Product Index	42
SAATI Global Contact Information	Ba

Engage with SAATI

SAATI S.p.A. Via Milano, 14-22070 Appiano Gentile (CO), Italy | www.saati.com



SAATI produces many products for all types of markets that find their way into the daily life of billions of people. We are leaders in both process and microfiltration, screen printing, and personal and vehicular multithreat protection products.

# Over Eighty Years of Innovative Action

SAATI is a multinational group with corporate headquarters that have been situated in northern Italy since 1935. Today SAATI is a leading force in the development, manufacturing and commercialization of high tech filter media & chemicals.

SAATI's passion and creativity are the foundation for an unsurpassed tradition of continuous innovation in the filtration markets. This endless pursuit is what drives SAATI's dedicated customer-centric R&D to functionalize products beyond simple filtration.

SAATI's wide range of synthetic textiles and fabricated parts in Polyester, Nylon, Polypropylene, PEEK and PPS are the ideal engineered solution for demanding microfiltration applications.

Through specialized processing and rigorous inspection, SAATI ensures consistent lot quality across tolerances, uniformity, strength, stability, and cleanliness for applications with pore sizes from 7 to 3,000 microns.

# Perfecting the Art of Precision Woven Fabrics

With over 1,000 employees spread across multiple facilities worldwide, and a strong established track record in innovation and manufacturing excellence, SAATI's mission is to improve the life of every person every day – through working with both customers and partners to create a safer, healthier and cleaner world.

To guarantee product reliability, SAATI constantly runs tests and has all of the stritctest and most up to date certifications that validate the consistency, performance, quality and characteristics of each item.

Specific SAATI fabrics are tested and certified in accordance with USP CLASS VI/ISO 10993 Regulations, and these fabrics are inspected and transformed into customized shapes in Class 10,000/ISO Class 7 Clean Rooms in accordance with UNI ISO 9001 regulations.



# Customer Driven Innovation

Thanks to a direct presence in many countries, it is easy for customers to reach out, wherever they are located, and the response is always prompt. SAATI staff has a high level of technical expertise and dedication, and is always aiming to find the best solution for the customer's requirements.

SAATI sales representatives and engineers understand their customers' applications, working closely with staff in both the production and R&D departments to offer the customized solutions that best meets their needs.

The quality of SAATI's products is backed by the dedication and expertise of SAATI's customer service. Thanks to offices, warehouses, storage and fabrication facilities throughout the world, SAATI provides strong local support, expert responses to customer inquiries, strong engineering capability, technical support and fast delivery around the world.

# SAATIcare Manufacturing

### Medical and Diagnostic Devices

Medical and diagnostic devices are among the most demanding fabric applications.

SAATIcare healthcare fabrics are more than up to the task; they are the preferred choice for medical devices such as infusion and transfusion filter, arterial filter, oxygenators, micro-aggregate filters, blood bags and diagnostic applications such as test strips, spirometers, biopsy bags and molecular sieves.


The precise aperture size, uniform high flow rates, and lot-to-lot consistency make SAATIcare fabrics the ideal solution for demanding healthcare applications.

# Manufactured To The Most Exacting Standards

SAATIcare fabrics are woven with monofilament polyester or polyamide fibers with smooth and uniform surfaces that are particularly suitable for medical applications. The monofilament fibers are non-shedding to reduce the risk of particulate contamination. The fibers are woven to exceptionally tight tolerances, creating uniform pore sizes, excellent strength, and good dimensional stability.


# Customized to Meet Specific Customer Needs

Typical surface modifications requested include plasma treatment, adding hydrophilic or hydrophobic characteristics, and dyeing in virtually any color. SAATI Engineers can also evaluate developing a fully customized solution using your specific chemistry applied to the mesh surface to functionalize the surface beyond simple filtration action.



### **Precise Mesh Opening**

The Mesh Opening is the square space between two warp and two weft yarns



High flow rates with low pressure loss




# SAATIcare Fabrication Capabilities

High-Quality, Cost-Effective
Custom Fabrication from SAATI

SAATIcare fabrics can be delivered in a wide variety of finished or partly finished products. Specially designed processing equipment creates quality custom–fabricated parts in the most cost–effective way. SAATIcare fabrics can be cut into ribbons, formed into tubes, pleated, or made into any required shape. Critical fabricated parts are undergo manufacture in SAATI's Class 10,000 Clean Rooms (ISO 7).

When SAATI engineers design a part for custom fabrication, their primary consideration is to produce a high-quality precision product that will remain consistent from order to order, year after year.









# Ribbons


SAATIcare fabrics can be heat-slit economically, or ultrasonic slit for the closest tolerances and the highest quality as needed.

Production Technology involved: Heat, Ultrasonics.











# Tubes - Rectangles


For all applications requiring molded cylindrical filters, SAATI offers fabric tubes and rectangles with two open ends, die-cut or laser cut to length.

Many applications can accept the quality of a cold cut tube in view of its economic advantages. When a component must have one end sealed and one end open, SAATI is able to combine technologies in the same process and supply tubes with one end die-cut or laser cut and the other end ultrasonic sealed.

Ultrasonic technology is also applied for the fabrication of rectangular filters.

Production Technology Involved:

Die-Cut, Heat and Ultrasonic.







# Continuous Tube/ Multi-Layer Products

Two layers of filter media (identical or different) are simultaneously slit with heated blades to form a continuous double-seamed tube.

Ultrasonic-welded tubular ribbons, although similar in construction to heat slit items, can be produced in a wide range of sizes, including very small ones. Two or more narrow layers can be attached using ultrasonic slitting. A fine filtration media can be supported or protected with a coarser one.

Production Technology involved: Heat, Ultrasonics.






# Pleated Components

Mono or multi-layer pleated components such as pack, ribbon, and cartridges can be manufactured for all applications requiring high filtration capacity in a narrow space.

Production technology involved: Heat, Ultrasonics.



# Custom Shapes

Die-cut or laser cut parts can be produced in almost any shape or size. One or more layers of fabric can be ultrasonic cut or sealed into virtually any shape using a PC controlled plotter, assuring a faithful reproduction of design.

Production Technology involved: Die-Cut, Ultrasonics, Laser.



# **SAATIcare Medical**

High-Performance Features For Medical Applications

Precise pore sizes provide exceptionally selective filtration. Particulates and air bubbles of a specific size can be removed without affecting red blood cells.

Materials with high open area provide high flow rates with minimal pressure loss.

The uniform pressure drop provides consistent air pressure monitoring in spirometers. Smooth monofilament fibers and straight-through flow paths reduce the risk of hemolysis. Fabrics for medical applications can be specially finished to reduce pyrogens and contaminants.

- -- SAATIcare fabrics conform to USP Class VI
- -- Fabrics are safe for gamma sterilization and autoclaving

SAATIcare products designed for medical applications are exclusively medical grade.


### Hemofiltration

Hemoperfusion, Hemodialysis, and Hemofiltration are methods of filtering the blood extracorporeally to remove toxins or for blood purification in general. SAATIcare woven meshes are used as protector filters in order to impede purifying elements (i.e. activated charcoal, resins, bicarbonate etc.) from flowing out of blood purifying cartridges.

### Cardiosystem

During open heart surgery, heart and lung functions are temporarily replaced by medical devices (heart-lung machine) to guarantee the survival of the patient. Filters play an extremely important role in the heart-lung machine.







# Infusion Filters

Possible contaminants originating from infusion bags may complicate the recovery of patients. SAATIcare monofilament woven meshes are designed to prevent possible blood poisoning caused by contaminants such as extraneous salts, microorganisms (protozoo, bacteria), dissolved impurities and other micro-particles.

# Transfusion Filters (Transfusion IV Sets)


SAATIcare products capture clots, micro and macro aggregates which could be present in the blood of the patient and reduce the risk of an embolism.






# Microaggregate Filters

The storage of whole blood is associated with formation of a considerable quantity of microaggregates between 25 µm and 40 µm. These microaggregates are mainly composed by degenerated leukocyte and thrombocyte fragments of red blood cells and other cells, lipids, lipoproteins and precipitated denaturated albumin. These microaggregates can damage pulmonary micro-circulation and for this reason SAATIcare meshes are used as filter media.



# Cardiotomy Reservoir Filters

Possible foreign and undesirable particles such as thrombus, bone debris or air bubbles are harmful for the patient during surgery. This is the reason why a fine filtration is necessary. Futhermore, thanks to smooth monofilament yarn and straight-through flow paths SAATIcare products reduce the risk of blood cell damage.



# Blood Bags

The flow of blood must be filtered during transfusion to remove clots and small clumps of platelets and white blood cells that form during collection and storage.

# Arterial Filters

The aim of SAATIcare mesh is to remove blockages in the perfusion circuit such as gas emboli, fat emboli, aggregates of platelets or red blood cells, air bubbles and other debris during the last filtration stage before the reinjection of the blood to the patient.

# SAATIcare Hyphyl<sup>TM</sup>

### A Surfactant Coating With Superb Hydrophilic Properties

SAATIcare Hyphyl is a unique hydrophilic surfactant coating (an FDA-approved organic salt) that dramatically increases the amount of liquid transferred to lower layers of a test strip, as well as increasing the spreading area of a drop of liquid.








SAATI Hyphyl-treated Mesh makes it possible to perform testing with smaller samples, including blood samples




Low wicking observed in standard meshes



Excellent wicking observed in SAATIcare Hyphyl-treated Meshes

### Dynamic Contact Angle: Hyphyl-Treated vs Standard Fabric






The lower contact angle of SAATIcare Hyphyl indicates that it is more hydrophilic than standard mesh

A 4-microliter drop of de-ionized water can wet an area almost five times greater using Hyphyl-treated fabrics

# **High Flow Fabrics**




# SAATIcare High Flow Fabrics for Arterial Line Blood Filters

SAATI has developed High Flow fabrics that achieve a superb higher open area compared to standard materials while maintaining the same mesh openings.


For example, by using our SAATIcare High Flow fabric, the performance of arterial filter and other blood filters is increased up to 60% compared to standard fabrics.

By guaranteeing a mesh opening even narrower 40  $\mu$ m, such a high open area rate can dramatically improve the behaviour of the final filter, not just by minimizing pressure drop and priming volume, but even allowing a possible reduction in the filter's dimensions, with a considerable reduction of final cost.

### Standard Fabric




10x Magnification




20x Magnification



### SAATIcare High Flow Fabric



10x Magnification




20x Magnification


# **SAATIcare Diagnostic**

High-Performance Screen Membranes For Critical Diagnostic Tests


SAATIcare products are a complete solution for diagnostic test strips. They can be used as:

- Pre-Filter: Protective covering of the strip
- Support: Improving the reinforcement of the membrane and increasing its mechanical resistance thanks to the high tensile strength of the fabric. Use of fabric instead of non-woven material avoids the migration of the latter into the former as accurately as possible.
- Sample Pad: Thanks to SAATI fabrics treated with Hyphyl®, a special hydrophilic surfactant coating, the amount of liquid transferred to lower layers of test strip is dramatically increased. The precise pore size and weave provide high wicking rates for faster assay performance.





SAATIcare fabrics enable diagnostic tests to be executed at their maximum performance level.




# Spirometers


A spirometer is an apparatus for measuring the volume of air inhaled and exhaled by the lungs. The mesh is used as pressure transducer to measure pressure drop across the filter thanks to the consistency of air permeability.

# Biopsy Bags

Biopsy bags are made of solvent-resistant material and are designed to process small biological specimens. Moreover they also maximize liquid exchange.

SAATIcare® biopsy bags can be produced with or without flaps.






# Molecular Sieves


Molded cups which use mesh with a specific pore size. It rapidly isolates primary cells in order to obtain a uniform single-cell suspension from tissues. SAATIcare mesh makes the process faster and easier compared to

SAATIcare's product range is characterized by a wide range of pore sizes. This makes a perfect media for sieves used during preparation of flow cytometry samples, specimens for primary cell cultures/immunogens and freezing stocks. SAATIcare products filter also agglutinative proteins produced in inactivation serum.

# Other Applications

SAATIcare products are also used for fluid handling, sample preparation, reagent delivery, and as a carrier for membranes.










**Membrane Manufacturing** 



**Reinforced Membrane** 


# **Testing Compliance**

SAATI medical grade fabrics can be tested and certified according to the following regulations:





## USP Class VI Test USP 24/NF 19, 2000

Biocompatibility of plastics. Including Systemic Toxicity, Intracutaneous Toxicity and Implantation Tests.



DIN 58970
Detecting compounds which may damage red blood cells.






### LAL Test

USP 24/NF. 19, 2000 Limit: 0.125 EU/ml Pyrogen Endotoxin Test. Detects endotoxins released after the death of bacteria.

### Cytotoxicity Test

ISO 10993 Part 5 Investigates whether the leachables from the material may cause cytotoxicity (death of cell) or not.





### Extractables

21CFR177.1630 21CFR177.1500 Amount of extractables from a filter during its intended use.

### **Additional Tests**

Additional tests are available on request.





# **Interactive Product Index**

H

Heat Cutting 011

Hemodialysis 021

Hemofiltration 021

Hemolysys Test 039

Hemoperfusion 021

Hydrophilic 028

Infusion Filters 022

ISO 10993 003

LAL Test 038

Materials 003

Mesh Opening 006

Monofilament 006

Multi-Layer 015

Open Heart 021

M

0

Hyphyl 028

# A Additional Tests 039 Arterial Filters 026 В Biopsy Bags 035 Blood Bags 027 $\mathbf{C}$ Cardiosystem 021 Cardiotomy Reservoirs Filters 024 Class 10,000 Clean Room 003 Clean Rooms 003 Custom Shapes 018 Cut Shapes 018 Cutting Techniques 011 Cytotoxicity Test 039 D Die-Cut 019 Double Packaging **020** Dynamic Contact Angle 029 E Extractables Test 038 F Fabrication 008

```
P
                                     Pleated Components 017
                                     Pore Size 003
                                     Pre-Filter 032
                                     R
                                     Rectangular Tubes 013
High Flow Fabrics 030
                                     Ribbons 011
                                     S
                                     SAATIcare Hyphyl 028
                                     SAATIcare HyphylTM 028
                                     Sample Pad 032
                                     Shapes 018
ISO Class 7 Clean Room 003
                                     Slitting Techniques 011
                                     Spirometers 034
                                     Support 032
                                     T
                                     Test Strips 032
                                     Transfusion Filters 023
Microaggregate Filters 025
                                     Transfusion IV Sets 023
Molecular Sieves 036
                                     Tube 013,015
                                     U
                                     Ultrasonic Cutting 011
                                     UNI ISO 9001 003
                                     USP CLASS VI 003_021_038
Other Applications 037
                                     W
                                     Wet Area 029
```

Wicking 029

# **Notes**

Take notes before you contact your Local SAATI rep

Flow Rate 006

### SAATI S.p.A. -

### World Headquarters

Via Milano 14 22070 Appiano Gentile Italy Phone: +39 031 9711 info.IT@saati.com

### **SAATI France S.A.S**

74 Route de Bapaume - Sailly-Saillisel 80360 - France Phone: +33 3 22 85 77 00 saatifrance@saati.com

### SAATI Serigrafia Iberica S.A.U.

P.I. "El Mijares" c/Industria 13 – 12550 Almazora (Castellon) – Spain Phone: +34 964550688 info.ES@saati.com

### **SAATI Americas Corp.**

201 Fairwiew Street Ext.- Fountain Inn - South Carolina 29644 - USA Phone: +1 (864) 601-8300 info.US@saati.com

### SAATI Technical Fabric (Tianjin) CO. Ltd

Cross of Saida 2nd Branch Road, Saida Century Avenue, Xiqing Ec.Dev. Area – Tianjin – China **Phone:** +86 22 23960843 **info.CN@saati.com** 

### **OOO SAATI Russia**

Shvetsova Street, 23 house, 198095, St. Petersburg, Russia Phone: +79 062788343 info.RU@saati.com

### SAATI Korea Ltd

SK Ventium 101-601 - Dangjeong-dong, Gosan-ro 166, Gunpo-si, Gyeonggi-do, South Korea, Zip 15850

Phone: + 82 31 429 9337 info.KR@saati.com

### **SAATI**

### **Deutschland GmbH**

Ostring 22 - D-46348 Raesfeld - Germany Phone: +49 2865 95800 info.DE@saati.com

### SPT - Sales + Marketing GmbH

Kurpfalzring 100a - 69123 Heidelberg - Germany **Phone:** +49 62 21 | 77 876-27 **info.DE@saati.com** 

### CST Colour Scanner Technology GmbH

Koenigsberger Str. 117 - 47809 Krefeld - Germany

Phone: +49-2151-1592260

office@c-s-t.de

### SAATI Advanced Chemicals LLC

201 Fairwiew Street Ext.- Fountain Inn – South Carolina 29644 – USA Phone: +1 (218) 628-2217 info@ikonics.com

### WuXi TianYi Precision Fabrics Co., Ltd.

No. 28, Xigang West Road, Donghutang, Donggang Town, Xishan District, Wuxi City - China Phone: +86 510-88791064 info.CN@saati.com