

Duralife MSR Squeegee

Premium Quality Printing Squeegee for the Highest Resolution Applications

Duralife MSR is the culmination of all of the benefits in the Duralife range of screen printing squeegee. It is specifically formulated to have the maximum level of resistance to the most aggressive UV & solvent-based inks, antistatic properties, and the strongest resistance to abrasion from both the printing process and abrasive substrates & inks.

This makes Duralife MSR squeegee the ideal choice for high speed automatic press printing for demanding applications such as electronics, glass and others.

Characteristics


- Premium cut edge
- Hardness (SH): from 50 Shore to 90 Shore
- Standard length: 3660 mm
- Width: from 20 mm to 100 mm
- Thickness: from 4 mm to 10 mm

Features


- The highest UV and solvent resistance with minimal swelling
- The highest abrasion resistance
- Resists nicking
- Antistatic properties
- Excellent all around performance
- Excellent re-sharpening

Benefits

- The best performance with all ink types
- Designed for use in high speed automatic printing – great performance in demanding applications like printed electronics and glass
- Long service life



Squeegee Profiles



Duralife MSR Squeegee

Premium Quality Printing Squeegee for the Highest Resolution Applications

Duralife HP Squeegee Color Coding System	
50 durometer	Transparent
60 durometer	Orange
65 durometer	Yellow
70 durometer	Blue
75 durometer	White
80 durometer	Red
85 durometer	Pink
90 durometer	Dark Orange

Duralife HP Squeegee Triple Durometer Models			
60/90/60			
65/90/65			
65/90/75 Modular			
70/90/70			
75/90/75			
80/90/80			
85/90/85			



Duralife MSR Squeegee

Premium Quality Printing Squeegee for the Highest Resolution Applications


Applications




Textile Ceramic 50 SH 60 SH 65 SH



Graphics Glass 70 SH 75 SH



UV/Industrial 80 SH 85 SH 90 SH



Printed Electronics Graphics Triple Duro

Antistatic Properties

Duralife® Antistatic Electrical Resistance (Ω)		
Item	Test Method	Result
Standard Squeegee	IEC 61340-2-3:2016	1011
Duralife® HP	IEC 61340-2-3:2016	108

