


performance fabrics & hybrid technologies








TABLE OF CONTENTS

Company Information	02
Production	04
Lab Capabilities	05
Aramid Fabrics	06
Coated Aramid Fabrics	08
Multi-Threat Protection Systems	10
Backings & Spall Liners	12
CoreMatrix [™]	14
Armourfit - Lightweight Armour Systems	16
SAATI for a Sustainable Future	18

The Company

SAATI is focused on the production of fabrics, panels and laminated materials in aramid fiber with unique resin finishing processes, for multi-threat protection, both for personal protection and light armouring systems. We offer insight gained in more than 40 years of providing technology and support to markets around the globe.

SAATI offers products that may include a variety of water repellent treatments, hot melt and solvent resin coating, thermoplastic, rubberized and thermoset (epoxy and phenolic options).

Whatever your protection needs, SAATI can provide the right solution.



Unsurpassed Customer Support

With business offices and warehouses throughout the world, SAATI provides strong local support, expert response to customer inquiries, and quick delivery to all locations.

SAATI Sales Representatives and Engineers are committed to a tradition of continuous innovation. They understand their customers' applications and offer the most appropriate product in a form that best meets their customers' needs.

The search for new materials and designs is facilitated by our continual acquisition of new technology and equipment. Our R&D and Technical team can take advantage of state of the art laboratories and in-house ballistic test capability, where they can study incoming raw materials and finished products, with the purpose of developing the best solution for the customers' requirements.



Improving Safety

As a leading supplier of products for the protection sector, SAATI is at the forefront of technology. We strive to develop innovative and reliable systems that are able to protect the military and law forces against the different threats. Not only protection against bullets, but also protection against knives, spikes, fragments and blunt impacts.

SAATI is the partner able to find solutions to the continuously evolving challenges, first of all in terms of protection to the more and more sophisticated threats, and also challenges in terms of productivity, availability, reliability, safety, costs. For each threat, we are able to develop different solutions, several options that can all give an answer to the required performances, with a different approach.

Recently SAATI has been developing products which offer advantages for customers and final users such as lightness and flexibility in order to reach a greater comfort & wearability, improvement of production process and reduction of scraps. SAATI aims to develop products minimizing ever more the impact on the environment.





Production

Warping



Weaving



Finishing



Pre-Preg



Lamination



Molding



SAATILab

SAATI offers comprehensive laboratory capabilities; our skilled Quality Control and R&D teams are supported by the most state of the art quality control devices and equipment, and are able to make in house all the tests which are required by the industry.


We constantly innovate to raise performance and open up new possibilities to develop customized solutions according to worldwide standards in order to meet customers' requirements

Some of our laboratory testing capabilities include:


Physical - Yarn, Fabric




Ballistic



Stab/Spike



Thermal - DSC



The Products

SAATI is a global manufacturer of fabrics, pre-pregs, Multi-threat Protection (MTP) systems, backing and spall liners for law enforcements, military, corrections & private security applications, both for personal protection and armouring.

Aramid Fabrics

Our wide range of the most advanced fabrics available in the market covers the various civil, law enforcement and military applications for personal protection. A leadership obtained through the development and manufacturing of fabrics in para-aramidic and other fibres, consolidated through an ongoing process of product innovation and exclusive finishing procedures. We offer a wide range of fabrics with an areal density from 110 g/sqm to 625 g/sqm using aramid fibers from 220 to 3300 dtex.



Threats



Bullets



Fragments



Spikes

Main Application Areas







		Thread	ds x cm	Title	Count	Thickness	Weight	Warp	Weft
Item	Weave	Warp (nº/cm)	Weft (n° /cm)	Warp (dtex)	Weft (dtex)	(mm)	(g/m²)	(DaN	/cm)
270	plain	27,5	27,5	Kevlar 159 220	Kevlar 159 220	0,20	125	80	100
372	plain	23,2	23,2	Kevlar 159 330	Kevlar 159 330	0,22	158	100	100
310	plain	14,0	14,0	Kevlar KM2+440	Kevlar KM2+ 440	0,17	125	100	100
431	plain	12,2	12,2	Kevlar KM2+440	Kevlar KM2+ 440	0,13	110	90	90
6402	plain	10,7	10,7	Kevlar KM2+670	Kevlar KM2+ 670	0,20	145	130	130
6602	plain	12,2	12,2	Kevlar KM2+670	Kevlar KM2+670	0,25	165	135	135
3631	plain	10,7	10,7	Kevlar KM2+940	Kevlar KM2+940	0,31	200	140	140
3651	plain	11,7	11,7	Kevlar KM2+940	Kevlar KM2+ 940	0,32	220	150	150
802	plain	8,5	8,5	Kevlar KM2+1100	Kevlar KM2+ 1100	0,26	190	150	150
812	plain	12,2	12,2	Kevlar KM2+1100	Kevlar KM2+ 1100	0,38	280	220	220
863	plain	9,3	9,3	Kevlar KM2+1100	Kevlar KM2+ 1100	0,33	205	140	140
865	plain	10,0	10,0	Kevlar KM2+1100	Kevlar KM2+1100	0,27	220	170	170
258	plain	6,4	6,4	Kevlar 129 3140	Kevlar 129 3140	0,62	410	320	350
300	plain	4,5	4,5	Kevlar 29 3300	Kevlar 29 3300	0,40	300	190	190
101	plain	6,7	6,7	Kevlar 29 3300	Kevlar 29 3300	0,63	460	280	280
103	twill 4/4	9,3	9,3	Kevlar 29 3300	Kevlar 29 3300	0,91	635	320	320

for spike protection

The Products

Coated Aramid Fabrics

Our coated and laminated products are manufactured both with traditional fabrics, using phenolic, epoxy, thermoplastic and rubber resin system. The properties of the resins, combined with the properties of the fibres, meet the most high demanding requirements in the sector of ballistic protection (helmets, armouring).

The last generation of products provides for the use of preservable matrices at room temperature, long shelf life, mold at low temperature and therefore compatible with thermoplastic systems.

Threats







Fragments



Product Range for Vehicle Armouring

Phenolic Systems

Item	Weave	Resin content	Prepreg Weight	Cu	ring Cycle	
item	vveave	(%)	(g/m²)	(°C)	(bar)	(min)
Style 258 PHHGM - single side coated	Plain	12	455	165	30	*
Style 101 PHHGM - single side coated	Plain	16	525	165	30	*
Style 258 PHHGM - double side coated	Plain	25	535	165	30	*
Style 350 PHUS - double side coated	Basket 3/3	9	374	165	30	*

Rubberized Systems

ltem	Weave	Resin content	Prepreg Weight	С	uring Cycle	
item	weave	(%)	(g/m²)	(°C)	(bar)	(min)
Style 101 GRC-D - single side coated	Plain	15	515	175	10 - 50	*
Style 101 GRC-D - double side coated	Plain	21	580	175	10 - 50	*
Style 101 GHY - single side coated	Plain	15	515	185	10 - 50	*

Thermoplastic Systems

Item	Weave	Resin content	Prepreg Weight	Cı	ıring Cycle	
item	weave	(%)	(g/m²)	(°C)	(bar)	(min)
Style 101 L60	Plain	11	495	160	10	*
Style 258 L60	Plain	11	450	160	10	*
Style 101 PCK	Plain	11	495	135	30	*
Style 258 PCK	Plain	12	455	135	30	*
Style 350 PCK	Basket 3/3	9	374	135	30	*

^{*:} Depending on No of layers









Product Range for Helmets & Shields

Phenolic Systems - (Shelf life 12 months at -18°C or 6 weeks at 23°C)

Item	Weave	Resin content	Prepreg Weight		Curing Cycle	
Itelli	weave	(%)	(g/m²)	(°C)	(bar)	(min)
Style 258 PHHGM - single side coated	Plain	12	455	165	30	15
Style 101 PHHGM - single side coated	Plain	16	525	165	30	15
Style 258 PHHGM - double side coated	Plain	25	535	165	30	15
Style 350 PHUS - single side coated	Basket 3/3	9	374	165	30	15
Style 3651 PHUSD Black finished double side coated	Plain	18	262	165	30	15

Epoxy Systems - (Shelf life 12 months at -18°C or 45 days at 23°C)

Item	Weave	Resin content	Prepreg Weight		Curing Cycle	
iteiii	(%)		(g/m²)	(°C)	(bar)	(min)
Style 258 ER221	Plain	18	490	125	2 - 7	15
Style 258 ER221	Plain	26	540	125	2 - 7	15

Thermoplastic Systems - (Shelf life 12 months at 23°C)

ltom	Weave	Resin content	Prepreg Weight		Curing Cycle	
Item	vveave	(%)	(g/m²)	(°C)	(bar)	(min)
Style 258 PCK	Plain	12	455	135	30	30
Style 350 PCK	Basket 3/3	9	374	135	30	30
Style 6402 PCK	Plain	20	175	135	30	30
Style 802 PCK	Plain	18	226	135	30	30

Main Application Areas






The Products

Multi-Threat Protection (MTP) Systems

SAATI MTP systems are designed to protect against threats of different origins: bullets, knives and spikes. To face these kinds of threats we offer a wide range of products as multi-threat protection "MTP" (trauma reduction systems, stab and spike protection systems).

According to technical specifications, SAATI is able to offer products in sheets and in rolls in order to reach the required target: lightness, flexibility and reduction of scraps during the fabrication.



Threats





Fragments







Spikes

Trauma Reduction

Main Application Areas





Stab and Spike Protection Systems


ltom	Thickness	Weight	Format
Item	(mm)	(g/m²)	Format
AS 299	0,13	165	Sheet Dimensions: 2130 x 1270 mm
MTS310	0,35	310	Roll Width: from 1200 up to 1600 mm


Trauma Reduction Systems

ltom	Thickness	Weight	Format	
Item	(mm)	(g/m²)	Format	
AT2	0,50	510	Sheet Dimensions: 2130 x 1300 mm	
TRS295	0,38	295	Roll Width: 1600 mm	

Multi Threat Protection (MTP) Systems

Item	Thickness	Weight	Format
item	(mm)	(g/m²)	Format
AS401S	0,22	235	Sheet Dimensions: 2000 x 1200 mm
AS401D	0,23	280	Sheet Dimensions: 2000 x 1200 mm
TRS380	0,33	372	Sheet Dimensions: 2000 x 1300 mm
MTS285L	0,22	285	Sheet Dimensions: 2000x1200 mm
MTP235T	0,25	235	Roll Width: 1360 mm









The Products

Backings and Spall Liners

SAATI product range for the military protection is completed with the engineering and manufacturing of backings and spall liners for military vehicles. The product range includes special laminates and panels which are developed according to the latest requirements of the protection sector's regulatory framework.

Threats







Fragments



Backing Spall Liner

lka	Standard Dimensions	Thickness	Weight	Danin Matrix
Item	(mm x mm)	(mm)	(g/m²)	Resin Matrix
PVB 14/19	1200 x 2000	8,3	8,7	Thermoset
L60/14	1200 x 2000	6	7	Thermoplastic
L60/16	1200 x 2000	7	8	Thermoplastic
L60/25	1200 x 2000	11	12,5	Thermoplastic
L60/10 H-2	1220 x 2000	5,8	5	Thermoplastic/Rubberized
L60/15 H-2	1220 x 2000	8,3	6,8	Thermoplastic/Rubberized
L60/20 H-2	1220 x 2000	10,8	9	Thermoplastic/Rubberized
GRC 101 19/15-2	1950 x 1360	7	8,4	Rubberized
GRC 101 19/7-2	1950 x 1360	4,8	3,9	Rubberized









The Products

CoreMatrix™

The combination of SAATI fabrics and TexTech Industries Technology, creates a unique monolithic fabric: CoreMatrix patented Technology is a product of needle felting expertise by infusing Z-directional staple-length fibers directly into the fabric stack structure. It can significatly reduce backface trauma while increasing ballistic and fragmentation performances.

This unique engineering also reduces the need for layer counting, quilting, lamination and it's compatible with all major ballistic materials.



Threats



Bullets



Fragments



Trauma Reduction

CoreMatrix™

Item	Construction		Thickness	Weight	Standard Width
	Layer 1	Layer 2	mm	g/m²	cm
9354	PES felt	Aramid fabric	2,8	1238	160
9757	Aramid felt	Aramid fabric	2,3	913	160
9325	Aramid felt	Aramid fabric	1,27	271	160









The Products

Armourfit - Lightweight Armour Systems

SAATI manufactures flexible and lightweight armour systems for vehicle protection. Thanks to these features, lightweight armour systems are compatible to every vehicle shape and surface type.

Threats





Bullets Fragments



Armourfit

Item	Weight	Thickness	Fire Resistance UL 94	Ballistic Protection
	(g/m²)	(mm)	Level	Level
CM-R Armourfit 6.6 B4	6,6	6,4	V0 according to UL94	FB4 according to EN1523
CM-R Armourifit 7.6 B4	7,6	7	V0 according to UL94	FB4 according to EN1523
CM-S Armourfit 6.3 B4	6,3	10	V0 according to UL94	FB4 according to EN1523









For a Sustainable Future

We Work To Improve Everyday Life


We understand the importance of operating a sustainable business. First of all, in terms of the products we manufacture. At SAATI, we develop and make available technological products that feature in people's everyday routines, all over the world, helping to make their lives healthier, safer, or simply easier.



Life Is Precious. We Work To Protect It

All our products, from fabrics, through components to chemicals, recognize that life is precious. At SAATI, we manufacture technologies for life: filter fabrics for blood transfusion set; aramid fabrics in bullet proof jackets; functional fabrics and chemicals to manufacture solar cells, mobile phones and tablets that improve our lives.







SAATI S.p.a

Via Milano, 14 22070 Appiano Gentile (Co), Italy

Tel: +39 0319711 Fax: +39 031 933392 E-mail: info.it@saati.com

SAATI Americas Corp.

201 Fairview St. Extension Fountain Inn, SC 29644 Toll-Free: +1 800 431 2200 Fax: +1 864 862 0089

Fax: +1 864 862 0089 E-mail: info.us@saati.com

SAATI Kusumgar India

14/15, Aradhana Apartments, Besan Road, Vile Parle (West) Mumbai 400 056 India

Tel: +91-22-26184341 / 26184350

Fax: +91-22-26115651 E-mail: info@kusumgar.com



www.SAATI.com

