


SAATibelt

Fabrics for Conveyor & Dryer
Belts for Fresh Cut Products



—SAATI
We cross-innovate

SAATlbelt

Advanced textile and belting solutions for your food washing processes

Since 1935, SAATI has produced a diverse range of precise woven mesh with a specific focus on the food market and proud partnerships with the major food groups; moreover we have more than 50 years experience in belt fabrication for a large range of applications like food processing. SAATlbelt for fresh cut products is the dedicated line for the washing, dewatering, transportation and processing of fresh cut fruits and vegetables. The high precision weaving and finishing processes allow SAATI to supply a very stable product with a uniform pore size and air permeability, the fabrication process allow to produce very stable belt that can be customized for any type of equipment. The continued research on materials gives SAATI the possibility to supply to the market a very resistant product; special construction of plastic edge on belts give an excellent mechanical resistance and all the accessories are engineered to grant the best performance and the most reliable belt, easy to install and with a long life time.




SAATI fresh cut belts can be successfully used in different applications:

- For fruit fresh cut
- For lettuce and other vegetable processing
- For fish processing and transportation

Food compliance is SAATI's priority for all the applications in this market, this is why SAATlbelt fabrics for fresh cut products are intended to come in contact with food and are in compliance with the latest legal regulations:

- Compliance of composition: FDA code of Federal Regulation Title 21 part 177, paragraph 177.1500 and 177.1420
- Compliance of performance: 1935/2004/CE and EU 10/2011 regulations, full traceability, migration test and GMP compliance as per plastic material food contact regulation.





SAATI Belt Drying Features

- Mechanical and Thermal Stability – For optimal belt tensioning, product distribution, and long product life
- Hydrolysis Resistance – Better lifetime and resistance to drying and washing processes
- Smooth Surface – In order to prevent clogging and to improve dryer productivity
- FDA Polymer Approved
 - Conformity Declaration upon request
- Compliant with EU 10/2011
 - Conformity Declaration upon request






SAATI is able to fabricate finished belts, ready to be installed. This is a key factor that allow us to control all the aspects from the yarn raw material to the finished product. All of the belt components can be customized based on final application in order to be flexible and to supply a product that can meet all of the customers' technical requirements.


Edge coating is available in PET material that is the same as the mesh and that can grant the same resistance and lifetime, with a significant improvement versus the traditional PVC or PU.

Joint closures are available in different configurations, stainless steel, close ring, PET or PEEK in order to adapt the belt configuration to the different equipment types.

Guide systems are available in different configurations, the newest trapezoidal and notched PET guides are perfect for small radius cylinders and the low exercise temperatures.

Polyurethane lathes are available in different width and height, they can also have holes and special surface patterns in order to avoid the "sucker effect" that can complicate product processing and release.





SAATI S.p.a

Via Milano, 14
22070 Appiano Gentile (Co), Italy
Tel : +39 0319711
Fax: +39 031 933392
E-mail: info.it@saati.com

SAATI Americas Corp.

201 Fairview St. Extension
Fountain Inn, SC 29644
Toll-Free: +1 800 431 2200
Fax: +1 864 862 0089
E-mail: info.us@saati.com

SAATI Technical Fabrics (Tianjin) Co., Ltd.

Cross Of Saida 2nd Branch Road and Saida Century Avenue,
Xiqing Economic Development Area,
Tianjin, China 300385
Tel: +86 22 23960843
Fax: +86 22 23962116
E-mail: info.cn@saati.com

SAATI Deutschland GmbH

Ostring 22 46348 Raesfeld, Germany
Phone: +49 2865 95800
Fax: +49 2865 958010
E-mail: info.de@saati.com

SAATI Korea Ltd.

22, Dangeong-ro, Gunpo-si Gyeonggi-do, 435-833, Korea
Phone: +82 31 429 9337
Fax: +82 31 429 9338

SAATI France

74 Route de Bapaume 80360 Sailly Saillisel, France
Phone: +33 3 22 85 77 00
Fax: +33 3 22 85 77 00
E-mail: info.fr@saati.com

SAATI Serigrafía Ibérica, S.a.

Pol. Ind. El Mijares, C/ Industria, nº 13 12550
Almazora, Castellón, Spain
Phone: +34 964550688
Fax: +34 964551049
E-mail: info.es@saati.com

SAATI Russia

23 Shvetsova str. 198095 Saint-Petersburg, Russia
Phone: +79 062788343



www.saati.com