

SAATI LTS 6080

High Resolution Horizontal Glass Down Direct Laser Image & Exposure Unit

Description

Self-contained, high efficiency direct laser computer to screen Image & Exposure unit, operated by PC with optional RIP.

Applications

Designed to efficiently image and expose screen printing frames up to a maximum size 85 x 110 cm/ 33.5 x 43.3" without vacuum or film positives.

Characteristics


- Facedown glass panel with enclosing lid
- 96 laser array capable of 2540, 1693, 1270, 1016, or 847 DPI
- Exposes all emulsions and stencil films
- Easy to use software, compatible with many RIP programs
- Utilizes 1-bit TIFF file format

Features/Benefits

- Very high resolution CtS exposure capable of reproducing the most demanding image types
- Digitally process all types of PC & Mac design files in house with no film positives
- No consumables and low power consumption for minimized costs
- 10,000+ hour lamp life and easy, low cost maintenance

Specifications

- Maximum Image Size: 60 x 80 cm | 23.6 x 31.5"
- Maximum Frame Size: 85 x 110 cm | 33.5 x 43.3"
- Overall Dimensions: 167 x 82 x 93 cm | 65.7 x 32.3 x 36.6"
- Weight: 597 kg | 1316 lbs
- Compatible with 110V or 220V input
- One Year Warranty



SAATI LTS 6080

High Resolution Horizontal Glass Down Direct Laser Image & Exposure Unit

Multiple Screen Registration Systems

